

Section 4: The Voting Area

Questions	Yes	No	N/A	Data	Modifications/ Notes
1. Are hallways and corridors in the voting area at least 44 inches wide on the presumed accessible route from the entrance/exit to registration table(s) and voting station(s)?					
2. Is there a stable, firm and slip-resistant route inside the voting area?					
3. Do all objects mounted on walls from 27 inches to 80 inches high protrude 4 inches or less into the accessible route? (Handrails are permitted to protrude a maximum of 4 ½ inches.)				Protrusion depth: _____ Bottom edge height: _____	
4. Do all objects, mounted on poles from 27 inches to 80 inches high protrude 12 inches or less into the accessible route?				Protrusion depth: _____ Bottom edge height: _____	
5. If there are overhead obstacles lower than 80 inches above the floor along the accessible route, are there cane detectable barriers to prevent someone from walking underneath?				Height: _____	
6. Is there a clear floor space 60 inches in diameter or a T-shaped space presumed available after voting area is set up to turn around and maneuver a wheelchair?				Circle: Yes No T-turn: Yes No Distance between turn spaces: _____	

Questions	Yes	No	N/A	Data	Modifications/ Notes
7. Is there a clear floor space 60 inches in diameter or a T-shaped space presumed available in front of at least one voting station and accessible voting machine?				Booth Table Voting machine	
8. In the event of an emergency, do all emergency marked doors have accessible hardware that does not require tight grasping, pinching, or twisting of the wrist?				Marked Emergency Door: Y N Pull Side Lever Knob Loop Thumb latch Push Side Lever Knob Loop Thumb latch Automatic door	
9. Do the alarms have both visual and audible alerts when activated?				Audible only	
10. Do all portions of the presumed accessible route in the voting area have a cross-slope that is 2.08% or less?				See Diagram	
11. If there are any abrupt changes in level from ¼ inch to ½ inch high on the presumed accessible route, are those changes in level beveled?				Total change in level height: _____ Bevel height: _____	

Questions	Yes	No	N/A	Data	Modifications/ Notes
<p>12. If there are changes in level higher than ½ inch on the presumed accessible route, do those changes in level have a 5% or lower slope?</p> <p>(If the slope is more than 5%, survey the change in level using the Ramp checklist.)</p>				See Diagram	

Modifying measures needed at this site on Election Day:

Does the voting area have adequate lighting for voting purposes?

Cones or other detectable barriers needed

_____ Cones or other detectable barriers needed

Need to modify hazards

Distance from wall _____

Movable items _____

Mats to cover electrical cords _____

Other _____

Comments: